

**Maximum Retail Prices for Wires and Cables**  
**Effective from 05.09.2013**



**General Terms :**

All prices are on maximum retail price basis inclusive of Excise Duty and VAT / Sales Tax as applicable.  
 This price list supersedes all our earlier price lists and subject to change without notice.  
 Orders will be accepted only in multiple quantities of Standard Packing

**( A ) FR PVC Insulated Single Core Unsheathed with Multistrand bare Copper Conductor.**

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

**( i ) FR 90 Meter coil**

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WH 00007 P*A0	7	0.75	24/0.2	<b>870</b>	20
WH 00010 P*A0	11	1.00	14/0.3	<b>1160</b>	16
WH 00015 P*A0	14	1.50	22/0.3	<b>1700</b>	10
WH 00025 P*A0	19	2.50	36/0.3	<b>2760</b>	8
WH 00040 P*A0	26	4.00	56/0.3	<b>4060</b>	5
WH 00060 P*A0	31	6.00	84/0.3	<b>6180</b>	4
WH 00100 P*A0	45	10.00	80/0.4	<b>10600</b>	1
WH 00160 P*A0	60	16.00	126/0.4	<b>16460</b>	1

**( ii ) FR 180 Meter coil**

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	180 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WH 00010 P*AJ	11	1	14/0.3	<b>2310</b>	8
WH 00015 P*AJ	14	1.5	22/0.3	<b>3370</b>	6
WH 00025 P*AJ	19	2.5	36/0.3	<b>5500</b>	4
WH 00040 P*AJ	26	4	56/0.3	<b>8090</b>	3
WH 00060 P*AJ	31	6	84/0.3	<b>12290</b>	2

\* - Color of Insulation

A - Red                      C - Blue                      E - Black                      T - White  
 B - Yellow                      D - Green                      F - Gray

**( B ) Flame Retardant Low Smoke (FRLS) PVC Insulated Single Core Unsheathed with Multistrand bare Copper Conductor.**

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

**( i ) FRLS 90 Meter coil**

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WH 00010 S*A0	11	1.00	14/0.3	<b>1250</b>	16
WH 00015 S*A0	14	1.50	22/0.3	<b>1810</b>	10
WH 00025 S*A0	19	2.50	36/0.3	<b>2910</b>	8
WH 00040 S*A0	26	4.00	56/0.3	<b>4270</b>	5
WH 00060 S*A0	31	6.00	84/0.3	<b>6430</b>	4
WH 00100 S*A0	45	10.00	80/0.4	<b>11080</b>	1
WH 00160 S*A0	60	16	126/0.4	<b>17110</b>	1

**( ii ) FRLS 180 Meter coil**

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	180 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WH 00010 S*AJ	11	1.00	14/0.3	<b>2480</b>	8
WH 00015 S*AJ	14	1.50	22/0.3	<b>3600</b>	6
WH 00025 S*AJ	19	2.50	36/0.3	<b>5770</b>	4
WH 00040 S*AJ	26	4.00	56/0.3	<b>8490</b>	3
WH 00060 S*AJ	31	6.00	84/0.3	<b>12800</b>	2

\* - Color of Insulation

A - Red                      C - Blue                      E - Black                      T - White  
B - Yellow                      D - Green                      F - Gray

**Maximum Retail Prices for Wires and Cables  
Effective from 05.09.2013**



**( C ) FLEXIBLE CABLES : TYPE "SAFE & SURE"**

**PVC Insulated Single Core Unsheathed with Multistrand Bright Annealed bare Copper Conductor.**

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

**( i ) Flexible - Single core - 100 Meter coil**

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	100 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WF 00005 P*A0	04	0.50	16/0.20	<b>730</b>	24
WF 00007 P*A0	07	0.75	24/0.20	<b>1010</b>	24
WF 00010 P*A0	11	1.00	32/0.20	<b>1280</b>	16
WF 00015 P*A0	14	1.50	30/0.25	<b>1830</b>	10
WF 00025 P*A0	19	2.50	50/0.25	<b>3010</b>	8
WF 00040 P*A0	26	4.00	56/0.30	<b>4630</b>	5
WF 00060 P*A0	33	6.00	84/0.3	<b>7040</b>	4
WF 00100 P*A0	45	10.00	80/0.4	<b>12240</b>	1
WF 00160 P*A0	60	16.00	126/0.4	<b>18920</b>	1
WF 00250 P*A0	75	25.00	196/0.4	<b>29540</b>	1
WF 00350 P*A0	95	35.00	276/0.4	<b>41200</b>	1
WF 00500 P*A0	125	50.00	396/0.4	<b>58800</b>	1
WF 00700 P*A0	170	70.00	354/0.5	<b>82380</b>	1
WF 00950 P*A0	210	95.00	484/0.5	<b>111050</b>	1
WF 01200 P*A0	235	120.00	608/0.5	<b>140400</b>	1
WF 01500 P*A0	295	150.00	750/0.5	<b>175670</b>	1
WF 01850 P*A0	330	185.00	925/0.5	<b>218030</b>	1
WF 02400 P*A0	400	240.00	1210/0.5	<b>283790</b>	1
WF 03000 P*A0	475	300.00	1527/0.5	<b>355230</b>	1
WF 04000 P*A0	550	400.00	2036/0.5	<b>435300</b>	1

\* - Color of Insulation

A - Red                      C - Blue                      E - Black                      T - White  
B - Yellow                      D - Green                      F - Gray

**Note : Please contact nearest branch for special types such as HRFR , ZHFR and ZHLS wires.**

Maximum Retail Prices for Wires and Cables  
Effective from 05.09.2013



( ii ) Flexible - Two core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	100 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WF 00005 P*B0	4	0.50	16/0.20	<b>2190</b>	1
WF 00007 P*B0	7	0.75	24/0.20	<b>2790</b>	1
WF 00010 P*B0	11	1.00	32/0.20	<b>3400</b>	1
WF 00015 P*B0	14	1.50	30/0.25	<b>4650</b>	1
WF 00025 P*B0	19	2.50	50/0.25	<b>7410</b>	1
WF 00040 P*B0	26	4.00	56/0.30	<b>11300</b>	1
WF 00060 P*B0	33	6.00	84/0.30	<b>16560</b>	1
WF 00100 P*B0	42	10.00	80/0.40	<b>28280</b>	1

( iii ) Flexible - Three core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	100 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WF 00005 P*C0	4	0.50	16/0.20	<b>2960</b>	1
WF 00007 P*C0	7	0.75	24/0.20	<b>4030</b>	1
WF 00010 P*C0	11	1.00	32/0.20	<b>4670</b>	1
WF 00015 P*C0	14	1.50	30/0.25	<b>6360</b>	1
WF 00025 P*C0	19	2.50	50/0.25	<b>10250</b>	1
WF 00040 P*C0	26	4.00	56/0.30	<b>15790</b>	1
WF 00060 P*C0	33	6.00	84/0.30	<b>23470</b>	1
WF 00100 P*C0	42	10.00	80/0.40	<b>40710</b>	1
WF 00160 P*C0	60	16.00	126/0.4	<b>61660</b>	1

( iv ) Flexible - Four core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	100 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WF 00005 P*D0	4	0.50	16/0.20	<b>3660</b>	1
WF 00007 P*D0	7	0.75	24/0.20	<b>4870</b>	1
WF 00010 P*D0	11	1.00	32/0.20	<b>6060</b>	1
WF 00015 P*D0	14	1.50	30/0.25	<b>8250</b>	1
WF 00025 P*D0	19	2.50	50/0.25	<b>13650</b>	1
WF 00040 P*D0	26	4.00	56/0.30	<b>20650</b>	1
WF 00060 P*D0	33	6.00	84/0.30	<b>31510</b>	1
WF 00100 P*D0	42	10.00	80/0.40	<b>54130</b>	1
WF 00160 P*D0	60	16.00	126/0.4	<b>81480</b>	1

\* - Color of Insulation

A - Red                      C - Blue                      E - Black                      T - White  
B - Yellow                      D - Green                      F - Gray

**Maximum Retail Prices for Wires and Cables  
Effective from 05.09.2013**



**( D ) FLAT CABLES**

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

**Note :**

Cables are supplied in drums in continuous length of 500 meters and 1000 meters

Minimum order quantity is 500 meters.

L&T reserves the right to supply non standard lengths up to 20% of the quantity ordered

**( i ) Flat cables**

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	ISI	
				500 Meters Drum Price (Rs.)	1000 Meters Drum Price (Rs.)
WS 00010 PECM#	11	1.00	14/0.3	<b>26235</b>	<b>52470</b>
WS 00015 PECM#	14	1.50	22/0.3	<b>32455</b>	<b>64910</b>
WS 00025 PECM#	19	2.50	36/0.3	<b>50470</b>	<b>100940</b>
WS 00040 PECM#	26	4.00	56/0.3	<b>73010</b>	<b>146020</b>
WS 00060 PECM#	31	6.00	84/0.3	<b>108150</b>	<b>216300</b>
WS 00100 PECM#	45	10.00	80/0.4	<b>189670</b>	<b>379340</b>
WS 00160 PECM#	60	16.00	126/0.4	<b>282500</b>	<b>565000</b>

**( ii ) Flat cables - Thick**

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	500 Meters Drum Price (Rs.)	1000 Meters Drum Price (Rs.)
WS T0015 PECM#	14	1.50	22/0.3	<b>34290</b>	<b>68580</b>
WS T0025 PECM#	19	2.50	36/0.3	<b>53180</b>	<b>106360</b>
WS T0040 PECM#	26	4.00	56/0.3	<b>74620</b>	<b>149240</b>

**( iii ) XLPE cables**

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	500 Meters Drum Price (Rs.)	1000 Meters Drum Price (Rs.)
WS00015XECM#	14	1.50	22/0.3	<b>35215</b>	<b>70430</b>
WS00025XECM#	19	2.50	36/0.3	<b>54805</b>	<b>109610</b>
WS00040XECM#	26	4.00	56/0.3	<b>79240</b>	<b>158480</b>

# - Drum size

5 - 500 Meter

1 - 1000 Meter